

A Case Report on *Aeromonas veronii* Meningitis: Isolation from CSF in a Hospitalized Immunocompromised Girl, Duhok City, Iraq

Dr. Bland Husamuldeen Abdullah and Dr. Shameeran Salman Ismael

Assistant Professor, Department of Medical Laboratory Sciences, College of Health Sciences/ University of Duhok, Duhok, Iraq

Abstract: *Aeromonas veronii* causes *Aeromonas* meningitis, a rare and fatal condition among immunocompromised adult patients. *Aeromonas veronii* is a gram-negative, facultative anaerobic, non-spore-forming bacillus bacteria under the family Aeromonadaceae, and it has several characteristics with the Enterobacteriaceae family. Both freshwater and marine habitats have large populations of this bacterium. Although they have been separated more frequently during warmer months, *Aeromonas* species may grow in various temperatures. Warm-blooded and cold-blooded animals, such as fish, amphibians, reptiles, mammals, and humans, are susceptible to a variety of illness syndromes caused by *Aeromonas* species. The Department of Microbiology at Shyrian Private Hospital in Duhok City received a cerebrospinal fluid specimen from a hospitalized immunosuppressed 23-year-old girl with meningitis. *Aeromonas veronii* was isolated from culturing of cerebrospinal fluid samples on the MacConkey agar, blood agar, and chocolate agar. Then the isolate was identified by using VITEK System 2. The antibiotic susceptibility test used the classical disc diffusion method and the VITEK System 2. It showed that this bacterium was susceptible to these antibiotics: azithromycin, azatreonam, ceftriaxone, cefotaxime, ciprofloxacin, gentamycin, levofloxacin, and trimethoprim/sulfamethoxazole and resistant to ampicillin, ampicillin+ clavulanic acid, colistin, and meropenem. This case report is the first reported case of the isolation of *Aeromonas veronii* from CSF in Iraq and Duhok City. It also found that this bacterium can cause fatal infections such as meningitis rather than gastrointestinal infections in adult immunocompromised hospitalized patients. An antibiotic susceptibility test found this bacterium to be sensitive and resistant to multiple antibiotics, which means that the treatment of meningitis needs the antibiotic sensitivity test.

Keywords: *Aeromonas veronii*, CSF, Meningitis, Antibiotic, Case report.

INTRODUCTION

Aeromonas veronii (*A. veronii*) is a rod-shaped anaerobic facultative gram-negative bacillus, non-spore-forming bacteria in aquatic environments that can cause necrotizing fasciitis, biliary tract infections, gastroenteritis, urinary tract infections, and endogenous endophthalmitis (Mencacci, A. *et al.*, 2003; Spadaro, S. *et al.*, 2014; Hickman-Brenner, F. W. *et al.*, 1987). *Aeromonas veronii* belongs to the genus Aeromonads and has been isolated from humans in sputum, wounds, and feces (Yu, J. H. *et al.*, 2010). Members of the *Aeromonas* are under the phylum: *Proteobacteria*, class: *Gammaproteobacteria*, order: *Aeromonadales*, and family: *Aeromonadaceae*. They share several characteristics with the Enterobacteriaceae family (Bhowmick, U. D. *et al.*, 2018).

The most frequent location for *Aeromonas* spp. infection is the intestine (Janda, J. M. *et al.*, 2010). *Aeromonas* also causes various extraintestinal infections that are linked to conditions including peritonitis, biliary tract infections, urinary tract infections, empyema, and skin and soft tissue infections (Chao, C. M. *et al.*, 2012; Chao, C. M. *et al.*, 2013; Ismael, S. *et al.*, 2024). Additionally, *Aeromonas* species are responsible for bacteremia, sepsis, endocarditis, myonecrosis, and osteomyelitis (Kimura, M. *et al.*, 2013). Furthermore, especially in individuals

with weakened immune systems, *Aeromonas* species must be regarded as one of the bacteria responsible for healthcare-associated bacteremia (Ismael, S. *et al.*, 2024; Kimura, M. *et al.*, 2013; Mohamed, W. F. *et al.*, 2022). *Aeromonas*' pathogenicity is caused by a variety of interrelated mechanisms. There are numerous established virulence factors, such as protease, toxins, iron ion acquisition systems, outer membrane proteins, and others (Hossain, S. *et al.*, 2018; Sun, J. *et al.*, 2016; Soodmand, J. *et al.*, 2018). This case report was reported by *A. veronii* for the first time in a cerebrospinal fluid (CSF) sample from girls in Duhok City, Iraq.

CASE REPORT PRESENTATION

The present report case showed a rare case of *Aeromonas* meningitis, caused by *Aeromonas veronii* among a hospitalized immunocompromised 23-year-old girl. The girl presented with a high fever, a mental disorder, and signs of meningitis. There was an increase in the level of both white blood cells and protein during the examination of cerebrospinal fluid, and there was no response for treatment.

The Department of Microbiology at Shyrian Private Hospital in Duhok City received a CSF sample from a hospitalized immunosuppressed female patient. A sample was for a girl 23 years

old with meningitis. CSF was cultured on the blood agar, chocolate agar, and MacConkey agar, and then incubated overnight at 37° C as shown in Fig. 1. After that, a slide was prepared from the

colonies and stained with gram stain that revealed the growth of *A. veronii*. Then the isolate was identified by VITEK System 2.




Figure 1: Colonies of *A. veronii* on MacConkey agar

The antibiotic susceptibility test was done by both the classical disc diffusion method and by using the VITEK system and showed that the *A. veronii* was sensitive to the following antibiotics: Amikacin, Azithromycin, Aztreonam, Ceftriaxone,

Cefotaxime, Ciprofloxacin, Gentamycin, Levofloxacin, and Trimethoprim/sulfamethoxazole and resistant to Amoxicillin+ Clavulanic Acid, Ampicillin, Colistin, and Meropenem as seen in Table 1.

Table 1: *Aeromonas veronii* antibiotic susceptibility interpretation:

No.	Antibiotics	Interpretation
	Amikacin	S
	Azithromycin	S
	Aztreonam	S
	Ceftriaxone	S
	Cefotaxime	S
	Ciprofloxacin	S
	Gentamycin	S
	Levofloxacin	S
	Trimethoprim/sulfamethoxazole	S
	Ampicillin	R
	Amoxicillin+ Clavulanic acid	R
	Colistin	R
	Meropenem	R
S: Sensitive		
R: Resistant		

DISCUSSION

Human opportunistic *A. veronii* infections primarily affect those with weakened immune systems. From mild gastroenteritis to more serious cases that need medical attention, it describes the different kinds of illnesses that might happen (Vera, H. P. *et al.*, 2023). *Aeromonas meningitis* is a rare case and mainly observed in adult patients with cirrhosis, alcoholic hepatitis, head trauma, or those who have had surgery such as a splenectomy, craniotomy, hemorrhoid ligation, or

medicinal leech therapy (Ellison, R. T. *et al.*, 1984; Lin, C. S. *et al.*, 1998; Parras, F. *et al.*, 1993).

This report isolated *A. veronii* from CSF after culturing on the MacConkey agar, blood agar, and chocolate agar, which means that this bacterium is the cause of meningitis. Clinically, *Aeromonas meningitis* manifests as bacterial meningitis that might or might not be followed by gastroenteritis. This report follows the line of Parras, *et al.* (1993), who reported that *A. veronii* is a cause of meningitis in men 54 years old.

The VITEK system 2 interpretation revealed that this bacterium was found susceptible to several antibiotics such as ampicillin, azithromycin, aztreonam, ceftriaxone, cefotaxime, ciprofloxacin, gentamycin, levofloxacin, and trimethoprim/sulfamethoxazole and that it was found resistant to ampicillin+ clavulanic acid, colistin, and meropenem. These results align with the results of a study done by Janda and Abbott, and within the line of a study findings by (Abdullah, B. H. *et al.*, 2024). This report disagrees with Parras, *et al.*, (1993), who reported that patients with *Aeromonas meningitis* were sensitive to the third generation of cephalosporins, and Kali *et al.*, (2016), who recorded that penicillin and first-generation cephalosporins were found to be resistant to *Aeromonas meningitis*.

CONCLUSION

This is the first reported case of the isolation of *Aeromonas veronii* from CSF and is concluded to be the pathogen responsible for fatal infections such as meningitis in adult hospitalized patients rather than gastrointestinal infections. An antibiotic susceptibility test found this bacterium to be sensitive and resistant to multiple antibiotics, which means that the treatment of meningitis needs the antibiotic sensitivity test.

ACKNOWLEDGEMENT

The authors thank all researchers whose work on *Aeromonas veronii* and Meningitis used in this study.

CONTRIBUTION STUDY CONCEPT AND DESIGN

Assistant Professor Dr. Bland Husamuldeen Abdullah and Assistant Professor Dr. Shameeran Salman Ismael.

ANALYSIS AND INTERPRETATION OF DATA

Assistant Professor Dr. Shameeran Salman Ismael.

ETHICS

The study proposal was approved by the ethics and scientific committee of the College of Health Sciences, University of Duhok, Duhok, Iraq with reference No.20241023.

DATA AVAILABILITY

The data that support the findings of this study are available on request from the corresponding.

REFERENCES

1. Mencacci, A., Cenci, E. and Mazzolla, R, *et al.* "Aeromonas veronii biovar veronii septicaemia and acute suppurative cholangitis in a patient with hepatitis B." *Journal of Medical Microbiology*, 52.8 (2003): 727-730.
2. Spadaro, S., Berselli, A., Marangoni, E., Romanello, A., Colamussi, M. V. and Ragazzi, R, *et al.* "Aeromonas sobria necrotizing fasciitis and sepsis in an immunocompromised patient: A case report and review of the literature." *Journal of Medical Case Reports*, 8 (2014): 1-6.
3. Hickman-Brenner, F. W., MacDonald, K. L., Steigerwalt, A. G., Fanning, G. R., Brenner, D. J. & Farmer, J. J. "Aeromonas veronii: A new ornithine decarboxylase-positive species that may cause diarrhea." *Journal of Clinical Microbiology*, 25.5 (1987): 900-906.
4. Yu, J. H., Han, J. J., Kim, H. J., Kang, S. G. & Park, S. W. "First report of *Aeromonas veronii* infection in farmed Israeli carp *Cyprinus carpio* in Korea." *Journal of Fish Pathology*, 23.2 (2010): 165-176.
5. Bhowmick, U. D. & Bhattacharjee, S. "Bacteriological, clinical, and virulence aspects of *Aeromonas*-associated diseases in humans." *Polish Journal of Microbiology*, 67.2 (2018): 137-149.
6. Janda, J. M. & Abbott, S. L. "The genus *Aeromonas*: Taxonomy, pathogenicity, and infection." *Clinical Microbiology Reviews*, 23.1 (2010): 35-73.
7. Chao, C. M., Gau, S. J. & Lai, C. C. "Empyema caused by *Aeromonas* species in Taiwan." *American Journal of Tropical Medicine and Hygiene*, 87.5 (2012): 933-935.
8. Chao, C. M., Lai, C. C., Tang, H. J., Ko, W. C. & Hsueh, P. R. "Skin and soft-tissue infections caused by *Aeromonas* species." *European Journal of Clinical Microbiology & Infectious Diseases*, 32.4 (2013): 543-547.
9. Ismael, S., Abdullah, B. H., Sadiq, A. J., Ajaj, J. S., Ali, N. S., Omer, D. M. & Nori, N. Y. "Prevalence of intestinal protozoan parasites among children attending the Hevi Pediatric Hospital in Duhok Province, Kurdistan Region, Iraq." *Archives of Razi Institute*, 79.3 (2024): 507-512.
10. Kimura, M., Araoka, H. & Yoneyama, A. "*Aeromonas caviae* is the most frequent pathogen amongst cases of *Aeromonas* bacteremia in Japan." *Scandinavian Journal of Infectious Diseases*, 45.4 (2013): 304-309.

11. Mohamed, W. F., Askora, A. A., Mahdy, M. M. H., EL-Hussieny, E. A. & Abu-Shady, H. M. "Isolation and characterization of bacteriophages active against *Pseudomonas aeruginosa* strains isolated from diabetic foot infections." *Archives of Razi Institute*, 77.6 (2022): 2187-2200.
12. Hossain, S., De Silva, B. C. J., Dahanayake, P. S. & Heo, G. J. "Characterization of virulence properties and multidrug resistance profiles in motile *Aeromonas* spp. isolated from zebrafish (*Danio rerio*)." *Letters in Applied Microbiology*, 67.6 (2018): 598-605.
13. Sun, J., Zhang, X., Gao, X., Jiang, Q., Wen, Y. & Lin, L. "Characterization of virulence properties of *Aeromonas veronii* isolated from diseased gibel carp (*Carassius gibelio*)." *International Journal of Molecular Sciences*, 17.4 (2016): 496.
14. Soodmand, J., Zeinali, T., Kalidari, G., Hashemitabar, G. & Razmyar, J. "Antimicrobial susceptibility profile of *Enterococcus* species isolated from companion birds and poultry in the Northeast of Iran." *Archives of Razi Institute*, 73.3 (2018): 207-213.
15. Vera, H. P., Farfán-Cano, G. G. & Chica, D. C. B. "*Aeromonas veronii*, an emerging pathogen: A brief review." *Trends in Infection and Global Health*, 3.2 (2023): 63-68. doi: 10.24815/tigh.v3i2.34098
16. Ellison, R. T. & Mostow, S. R. "Pyogenic meningitis manifesting during therapy for *Aeromonas hydrophila* sepsis." *Archives of Internal Medicine*, 144 (1984): 2078-2079.
17. Lin, C. S. & Cheng, S. H. "*Aeromonas hydrophila* sepsis presenting as meningitis and necrotizing fasciitis in a man with alcoholic liver cirrhosis." *Journal of the Formosan Medical Association*, 97 (1998): 498-502.
18. Parras, F., Díaz, M. D., Reina, J., Moreno, S., Guerrero, C. & Bouza, E. "Meningitis due to *Aeromonas* species: Case report and review." *Clinical Infectious Diseases*, 17.6 (1993): 1058-1060.
19. Janda, J. M. & Abbott, S. L. "The genus *Aeromonas*: Taxonomy, pathogenicity, and infection." *Clinical Microbiology Reviews*, 23.1 (2010): 35-73. doi: 10.1128/CMR.00039-09
20. Abdullah, B. H., Ismael, S. S. & Qasim, N. A. "Antimicrobial susceptibility of *Proteus mirabilis* isolated from urinary tract infections in Duhok City, Iraq, using VITEK2 system." *EJMHR: European Journal of Medical and Health Research*, 2.4 (2024): 75-79. Available from: <https://ejmhr.com/index.php/journal/article/view/23>
21. Kali, A., Kalaivani, R., Charles, P. & Seetha, K. S. "*Aeromonas hydrophila* meningitis and fulminant sepsis in a preterm newborn: A case report and review of the literature." *Indian Journal of Medical Microbiology*, 34.4 (2016): 544-547.

Source of support: Nil; **Conflict of interest:** Nil.

Cite this article as:

Abdullah, B.H. and Ismael, S.S. "A Case Report on *Aeromonas veronii* Meningitis: Isolation from CSF in a Hospitalized Immunocompromised Girl, Duhok City, Iraq." *Sarcouncil journal of Medical sciences* 4.1 (2025): pp 47-50.